

**POWAPACS®**  
*Power Your Adventure*



**POWASHOWA**

# **Index**


<b>Structure .....</b>	<b>3</b>
<b>Installation And Application .....</b>	<b>4</b>
<b>Maintenance .....</b>	<b>5</b>
<b>General failure and solution .....</b>	<b>6</b>
<b>Safety cautions: .....</b>	<b>7</b>

# Structure

## Product Profile



1.bucket; 2.spray gun; 3.foam bottle; 4.connector; 5.power socket  
6.water-through brush; 7.microfiber washing glove; 8.hose




1/handle(inner); 2/bucket; 3/filter and hose; 4/cap; 5/handle(outer);  
6/hasp(2pcs); 7/power line; 8/water inlet; 9/ motor pump; 10/ water outlet;  
11/speed regulator circuit12/ switch; 13/socket; 14/discharger block;  
15/speed regulator

\*Please note that parts and accessories will change dependent on model.

# Installation And Application

1.Fill water  
into the tank



2.Connect the  
pipe head into  
the connector



3.Connect the  
power line of  
cigar lighter



4.Link the  
cigar lighter  
into the socket



1. Connect the pressure hose with the outlet, screw it and at the same time, connect the other end with the spray gun or foam gun.
2. Fill the tank with cold or warm water, connect the power cord with the cigarette lighter socket if using car power. Or if using the built-in battery ensure it's fully charged using the mains plug or car adaptor provided before use.
3. Turn on the Powashowa using the switch (12) the Powashowa will begin to pressurize the system. Once pressure is full it will shut off using the total stop system (TSS)
4. Using the water trigger when the trigger is pulled the water will flow and the tank will continue to provide pressure until you release the trigger.
5. After use Loosen the pressure pipe from Powashowa by rotating the large hand nut in an anti-clockwise direction and pull. Empty the water in the pipe, roll it up and put it in the tank for your next use.

# Maintenance

1.You need to drain off the water remained in the sprayer gun,pressure tubes and machine after finishing washing the car every time.

2.If there is dirt and debries on the surface of pressure tubes and power line,you must wipe them with soft cloth.

3.Please place accessories away neatly after finishing with the Powashowa

4.When the sprayer gun can not spray or pressure become low,maybe the filter is blocked. Check and clean the water filter in water tank.

The methods as follow:

Open the water tank,at the bottom you will see suction pipe with filter.

## General failure and solution

General failure and solution		
Fault	Cause	Solution
<b>The sprayer gun can not spray or the pressure become low</b>	1.The strainer is blocked	Clean the filter
	2.The connection of sprayer gun and pump is leaking	Reconnect using clockwise rotation
	3.The high pressure is pinched or twisted	Check hose.
<b>The washer will not operate</b>	1.The power supply is not conected. Poor conection between socket and cable. Built in battery not charged	Check all conections Recharge battery for minimum of 4 hours
	2.Car battery power shortage	Start up the car
	3.The cigarette lighter lighter socket dosent work in the car.	Check and Replace the fuse
	4.The residual water in the machine to freeze due to the low temperature	please Use the machine in 5-45 °C environment

# **Safety cautions:**

1. When cleaning your cars, please read the instruction carefully first.
2. When using cigarette lighter, please rotate the switch to the ON position and you do not need to start the engine.
3. Please pay attention to the situation that the air conditioning in the car has been off to prevent battery loss, resulting unable to start the engine.
4. When washing the car, please make the door closed so as to avoid water entering inside. As the door edge is made by rubber, it will not crush the power cord.
5. There should no gap so the joints must fit closely with the bucket; if there is lacune, it will leak causing safety directly.
6. When washing the car, the water should be soaked the tank, and not let the bucket stay in the anhydrous state in a long time.
7. The cleaning agent should be enough to spray foam and to clean better.